



.0 .10 .20 .30 .40 .50 .60 .70 .75  
River at-

ANGLE COEF- FICIENT	DIST. FROM INITIAL POINT	WIDTH	DEPTH	OBSERVA- TION DEPTH	REVO- LUTIONS	TIME IN SEC- ONDS	VELOCITY		ADJUST- ED FOR HOR. ANGLE OR -----	AREA	DISCHARGE .80
							AT POINT	MEAN IN VER- TICAL			
1.0	LEW @ 1231		.6								
	0		0		0	40					.85
	1		.2		5	40					
	2		.35		28	42.3					
	3		.7		40	40.5					.90
	4		.95		43	40.2					.92
	5		1.15		61	42.2					.94
	6		1.15		71	41.6					.96
	7		1.2		69	40.6					.97
	8		1.25		65	40.1					.98
	9		1.25		60	40.1					.98
	10		1.2		40	40					.99
	11		1.2		32	41.6					
	12		1.0		18	42.7					
⊙	13		1.1		14	41.1					1.00
	14		.9		8	40					
	15		.8		4	40					
	17		.55		3	40					.99
	19		.2		1	40					.98
	REW @ 1248										.97
	21		0		0	40					.96
											.94
											.92
											.90
											.85
											.80

.0 .10 .20 .30 .40 .50 .60 .70 .75