

River at—

Angle coef- ficient	Dist. from initial point	Width	Depth	Observa- tion depth	Rev- olu- tions	Time in sec- onds	VELOCITY		Adjusted for hor. angle or -----	Area	Discharge
							At point	Mean in ver- tical			
1	LEW 1.6		0		0						
"	1.8		.1		30	43.0					.85
"	2.1		.18		30	41.6					
"	2.4		.15		45	45.4					
"	2.7		.15		50	40.2					.90
"	3.0		.18		50	43.4					.92
"	3.3		.21		80	41.0					
"	3.6		.22		80	45.0					.94
"	3.9		.25		80	41.2					.96
"	4.2		.28		80	40.6					.97
"	4.5		.28		90	42.0					.98
"	4.8		.32		90	42.8					.99
"	5.1		.30		90	42.0					
"	5.4		.26		90	41.0					
⊙	5.7		.22		100	43.6					1.00
"	6.0		.22		100	44.6					
"	6.3		.22		90	40.5					
"	6.6		.24		90	43.4					.99
"	6.9		.22		90	40.9					.98
"	7.2		.20		80	40.4					.9
"	7.5		.20		85	45.1					.9
"	7.8		.16		70	40.3					.9
"	8.1		.15		70	42.7					.9
"	8.4		.18		50	41.2					.9
"	8.7		.15		35	45.9					.9
"	8.9 RW		.15		18	45.9					.8